

FortiGate® 100E Series

FortiGate 100E, 101E, 100EF, 140E and 140E-POE

Next Generation Firewall Enterprise Branch Secure SD-WAN



The FortiGate 100E series delivers next generation firewall capabilities for mid-sized to large enterprises, with the flexibility to be deployed at the campus or enterprise branch. Protect against cyber threats with security processor powered high performance, security efficacy and deep visibility.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Identify thousands of applications including cloud applications for deep inspection into network traffic
- Detects unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose built-security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as Next Generation Firewall and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



 Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
7.4 Gbps	500 Mbps	360 Mbps	250 Mbps	Multiple GE RJ45, GE SFP Slots PoE/+ Variants

Refer to specification table for details

DEPLOYMENT


Ne Fi

Next Generation Firewall (NGFW)


- Combines threat prevention security capabilities into single high performance network security appliance
- Reduces complexity by creating campus topology view and providing granular visibility of devices, users and threat information
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic
- Delivers industry's highest SSL inspection performance using industry-mandated ciphers
- Proactively detect malicious unknown threats using integrated cloud-based sandbox service



- Secure direct Internet access for Cloud applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero-Touch deployment




FortiGate 100E deployment in campus (NGFW)




FortiGate 100E deployment in branch office (Secure SD-WAN)

HARDWARE

FortiGate 100E/101E



FortiGate 100EF



Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/DMZ Ports
- 4. 2x GE RJ45 WAN Ports
- 5. 2x GE RJ45 HA Ports
- 6. 8x GE RJ45 Ports
- 7. 8x GE SFP Slots

Interfaces

1.	USB Port
2.	Console Port
З.	2x GE RJ45 MGMT/DMZ Ports
4.	2x GE RJ45 WAN Ports
5.	2x GE RJ45 HA Ports
6.	14x GE RJ45 Ports
7.	2x GE RJ45/SFP Shared Media Pairs

FortiGate 140E

FortiGate 140E	Tana Tanà Tanà Tan			
12	34	5		6
			1 1 1 1 1	1U RPS
Interfac	es			
1. USB P	ort			
2 Conoo	lo Dort	 		

1.	USB Port
2.	Console Port
З.	2x GE RJ45 MGMT/HA Ports
4.	2x GE RJ45 WAN Ports
5.	38x GE RJ45 Ports
6.	2x GE SFP DMZ Slots

FortiGate 140E-POE



Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports
- 4. 2x GE RJ45 WAN Ports
- 5. 14x GE RJ45 Ports
- 6. 24x GE RJ45 POE Ports
- 7. 2x GE SFP DMZ Slots

Redundant Power Supply

Power supply redundancy is essential in the operation of missioncritical networks. The FortiGate 100E Series offers the option to connect to an external redundant power supply appliance — The FortiRPS 100, designed to increase network availability and uptime.

Powered by SPU SoC3



- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed, secure remote access

FORTINET SECURITY FABRIC


Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.





- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

	FORTIGATE 100E	FORTIGATE 101E	FORTIGATE 100EF	FORTIGATE 140E	FORTIGATE 140E-POI
Hardware Specifications					
GE RJ45 Ports	14	14	8	38	14
GE RJ45 Management/HA Ports	1/1	1/1	1/1	1/1	1/1
GE SFP Slots	—	—	8	2	2
GE RJ45 PoE/+ Ports	—	—	—	—	24
GE RJ45 WAN Ports	2	2	2	2	2
GE RJ45 or SFP Shared Ports	2	2	—	—	—
JSB Port	1	1	1	1	1
Console Port	1	1	1	1	1
Internal Storage	—	480 GB	—	—	—
Included Transceivers	0	0	0	0	0
System Performance					
- Firewall Throughput (1518 / 512 / 64 byte UDP packets)			7.4 / 7.4 / 4.4 Gbps		
Firewall Latency (64 byte UDP packets)			3 µs		
Firewall Throughput (Packets Per Second)			6.6 Mpps		
Concurrent Sessions (TCP)			2 Million		
New Sessions/Second (TCP)			30,000		
Firewall Policies			10,000		
Psec VPN Throughput (512 byte) ¹			4 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels			2,000		
Client-to-Gateway IPsec VPN Tunnels			10,000		
SSL-VPN Throughput	250 Mbps				
Concurrent SSL-VPN Users			300		
Recommended Maximum, Tunnel Mode)					
SSL Inspection Throughput (IPS, HTTP) ³			190 Mbps		
Application Control Throughput (HTTP 64K) ²			1 Gbps		
CAPWAP Throughput 6			1.5 Gbps		
/irtual Domains (Default / Maximum)			10 / 10		
Maximum Number of Switches Supported			24		
Maximum Number of FortiAPs (Total / Tunnel Mode)			64 / 32		
Maximum Number of FortiTokens			1,000		
Maximum Number of Registered FortiClients			600		
High Availability Configurations		Act	ive / Active, Active / Passive, Clust	ering	
System Performance — Optimal Traffic Mix					
PS Throughput ²			1.9 Gbps		
System Performance — Enterprise Traffic Mix					
IPS Throughput ²			500 Mbps		
NGFW Throughput ^{2,4}			360 Mbps		
Threat Protection Throughput ^{2,5}			250 Mbps		
Dimensions					
Height x Width x Length (inches)	1.73 x 17 x 10	1.73 x 17 x 10	1.73 x 17 x 10	1.73 x 17 x 15.5	1.73 x 17 x 15.5
Height x Width x Length (mm)	44 x 432 x 254	44 x 432 x 254	44 x 432 x 254	44 x 432 x 394	44 x 432 x 394
Form Factor	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 1 RU
Weight	7.28 lbs (3.3 kg)	7.28 lbs (3.3 kg)	7.28 lbs (3.3 kg)	12.4 lbs (5.6 kg)	12.4 lbs (5.6 kg)

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F#RTINET.

SPECIFICATIONS

	FORTIGATE 100E	FORTIGATE 101E	FORTIGATE 100EF	FORTIGATE 140E	FORTIGATE 140E-POE
Environment					
Power Required			100–240V AC, 60–50 Hz		
Maximum Current	100V / 1A, 240V / 0.5A	100V / 1A, 240V / 0.5A	100V / 1A, 240V / 0.5A	100V / 0.4A	100V / 5A
Total Available PoE Power Budget*	—	_	_	_	400 W
Power Consumption (Average / Maximum)	23.0 W / 25.5 W	24.8 W / 27.5 W	24.4 W / 26.9 W	34.4 W / 40.0 W	477.1 W / 500.0 W
Heat Dissipation	87.0 BTU/h	93.8 BTU/h	91.8 BTU/h	136.48 BTU/h	1706.07 BTU/h
Operating Temperature			32-104°F (0-40°C)		
Storage Temperature	-31–158°F (-35–70°C)				
Operating Altitude			Up to 7,400 ft (2,250 m)		
Humidity			10–90% non-condensing		
Noise Level	40.4 dBA	40.4 dBA	40.4 dBA	40.4 dBA	57 dBA
Compliance	FCC Part 15B, Class A, CE, RCM, VCCI, UL/cUL, CB, BSMI				
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; IPv6				

* Maximum loading on each PoE/+ port is 30 W (802.3at).

ORDER INFORMATION

Product	SKU	Description
FortiGate 100E	FG-100E	20x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 14x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots). Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 101E	FG-101E	20 x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 14x switch ports), 2x Shared Media pairs (including 2x GE RJ45 ports, 2x SFP slots) 480 GB onboard storage. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 100EF	FG-100EF	14x GE RJ45 ports (including 2x WAN ports, 1x DMZ port, 1x Mgmt port, 2x HA ports, 8x internal switch ports), 8x SFP ports. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140E	FG-140E	42x GE RJ45 ports (including 2x WAN ports, 1x Mgmt port, 1x HA port, 38x switch ports), 2x GE SFP DMZ slots. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
FortiGate 140E-POE	FG-140E-POE	42x GE RJ45 ports (including 2x WAN ports, 1x Mgmt port, 1x HA port, 24x RJ45 GE PoE/PoE+ ports, 14x switch ports), 2x GE SFP DMZ slots. Maximum managed FortiAPs (Total / Tunnel) 64 / 32.
Optional Accessories		
External redundant AC power supply	FRPS-100	External redundant AC power supply for up to 4 units: FG-100/101E, FG-300C, FG-310B, FS-348B and FS-448B. Up to 2 units: FG-200B, FG-200D, FG-200/201E, FG-240D and FG-300D, FG-400D, FG-500D, FG-600D, FHV-500D, FDD-200B, FDD-400B, FDD-600B and FDD-800B.
1 GE SFP LX transceiver module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 transceiver module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX transceiver module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Forthert, Inc. All rights reserved. Fortileste®, Fortileste®, Fortileste®, Fortileste®, Fortileste®, Fortileste®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of their name and other marks are registered trademarks of their name law in the loss of the company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual parformance ensults may vary. Network variables, different network environments and other conditions may affect performance respective. And the performance metrics and, in such event, whether express viewards in such binding written contract, signed by Fortnets. Fortinet Foreinste to express viewards the test is devicibles as in Fortinet's internal lab tests. In one vent does Fortnet make any commitment related to future development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and quarantees pursuant here twee performance metrics and the fortinet respress viewards with the applicable. FG-100E-DB-GT1HS2